

6236

16

468

-49

57

0800-9000

14

124 1017

6246

16 47.3

+13 21

A17

151862  
22648

~~131-123~~  
~~1029-122~~

~~1029-124~~  
~~1-2313~~

16.8  
+13.33  
~~11.5~~-25  
~~11.5~~-25.5  
~~11.5~~ 5  
-233

5.88+04 00 2 Eggs atok  
018 159 1021 2118 atok  
~~008~~ 172 1021 2.180 JG  
013 165 1021 2.144 (31)

107 724  
324  
1018 016 = 2 ✓ 156  
1382 697 = 2 ✓ 140  
1382

+0.95  
49



74



*[Faint, illegible handwriting or markings scattered across the page, possibly bleed-through from the reverse side.]*

6246.000\*

16.000\*  
47.300\*  
13.000\*  
21.000\*  
-0.029\*  
-0.024\*  
5.000\*  
95.100.000  
-23.300

4.9

95.1

-0.047  
-0.715 -72

11.953

-0.159  
0.439 JH

-25.3  
-26.109 JH

0.066  
0.544 JH

-6.058



14

164.800  
13.330  
-28.500  
-22.000  
4.950  
98  
-23.300

-0.206  
0.667  
-0.716  
-42.442  
12.543

0.608  
0.661  
0.440  
-148.810  
-24.801

-0.767  
0.345  
0.541  
64.869  
-6.273

*74*

45 Hz 16 45.3 405 20  
 +0.03  
 5.25 40.02  
 151525  
 22608  
 9659  
 -0011 40 -35 43 N30  
 -0014 41.9 -037 41.9 40 -7 N30

(KRC)

SPS

-12212-024  
 -118-026

5257 4590 0314  
 1400  
 4654 1979  
 9279 8886

Ap -16.18

-022 -0426  
 -016 -03500  
 -019 -035  
 210  
 012



-947 -320 052 956 -018 -035 -16.1 -005<sup>-004</sup> -1 -150 ✓

-018-004006001 -050 009 -16 +5 +15 011

-3 +16 -18

+6 -22 -9

-2 +16 -16

012

+7 -20 -8



6234.000\*

16.000\*

45.300\*

5.000\*

21.000\*

-0.015\*

-0.036\*

5.000\*

100.000 0.18

-16.100

-0.080

-0.799

4.843

-0.166 40

0.337

-21.994

-0.017

0.497

5.35  
118.1

18

-25

75

0.682

6233 . 16 47.7 - 65 17 85

E +105

6.12-02-28

6.13 +023 680

797

2.734 @ 5.4

093

797

+0017-0019 N30 -10'

+0013-0015 / F54

+0081  
18.007  
+0005-0007

~~180~~  
~~978~~  
978

MV = -0.95  
VO 5.85  
B.9

76



6233.000\*

16.000\*

47.100\*

-65.000\*

-17.000\*

0.000\*

-0.000\*

6.700\*

218.776

-10.000

0.014

-0.795

10.998

-0.004

-0.562

6253

16 50.8

63 11

40

5.5

5.59 1075 095

1.82 2.764 @ 59

117

1.167

48e

234

1325


1401

now

2/2

1.2





49 Kee Engr. 16 45.8 +15 07

15288  
15289

650-02-1585B  
56189  
541  
2867

26000

542

671

12

11+

KEEL

2867

586

071

20

11+

101101  
101101  
101101

101101  
101101  
101101

2867

969

167

18

101101  
101101  
101101

101101  
101101  
101101

16.8  
+15.1  
+14.5

161  
32  
129

9826

2286

101101  
101101  
101101

101101  
101101  
101101

14  
5.75

161  
32  
129

9826

2286

101101  
101101  
101101

101101  
101101  
101101

14  
5.75

161  
32  
129

9826

2286

101101  
101101  
101101

101101  
101101  
101101

付



6268.000\*

16.000\*

49.000\*

15.000\*

4.000\*

0.018\*

Handwritten notes on a piece of paper, including the number 214 and a signature.

214

*[Signature]*

Handwritten notes on a piece of paper, including the number 214 and a signature.

214

*[Signature]*

21  
120

177.821  
-22.800

-0.004  
-0.697

5.197

0.064  
0.465

0.771

-0.059  
0.546

-23.019

AX  
20

15.800  
15.100  
16.500  
9.000  
5.750

141  
-22.800

-0.206  
0.688  
-0.695

13.816  
17.007

0.600  
0.647  
0.460  
73.493  
-0.116

-0.767  
0.328  
0.552  
-43.926  
-18.704

77



4942

152308

22714

9698


6.41 -0.05 -0.07 B9P

16 49.8 +15 03 6.4 A0m -22.88

+000982 79 N30

+0008±1.4 +003±1.3







78



27

16,900  
-52,200  
-83,000  
-31,000  
5,500  
126  
-5,800  
  
-0,184  
-0,380  
-0,907  
100,103  
17,861  
  
0,600  
0,687  
-0,409  
-245,704  
-28,557  
  
-0,778  
0,619  
-0,102  
96,661  
12,760

78

6275

1/ 82.5

-52

12

594 RPT

1609

52.2

940-290

-715

44

440-440

8.9

1.5

79

16.900  
-52.200  
-71.500  
-44.000  
5.500  
126  
-5.800

-0.184  
-0.380  
-0.907  
117.376  
20.035

0.600  
0.687  
-0.409  
-267.978  
-31.362

-0.778  
0.619  
-0.102  
32.484  
4.680

79



6276 16 54.2 -69 11 40

405 5.78-10 -43

<sup>126</sup> 5.78-042 <sup>121</sup> 146  
108

549  
547  
286  
757

2.722 (2) 542

NUM

$MV = -0.90$   
 $VU = 5.65$   
6.55



6 cap

6281

17 526 3197

14 518 + 10 15

887

15261

22775

29 526

15 438 - 08 - 32

25

105015

Shot

117

438-039 114787 2776

102 745

204

544

121848F124

60356-0378F124

Van ddd

2114

16.85  
+10.25

-51

-37

my = -0.10

VV 425

435

2000

8159 } 018

5924 } omw

1868

-0526

-050-037

80

000.12  
000.13  
000.14  
000.15

001.10  
001.11  
001.12  
001.13  
001.14

002.10  
002.11  
002.12  
002.13  
002.14

003.10  
003.11  
003.12  
003.13  
003.14

00

16.850  
10.250  
-51.000  
-37.000  
4.350  
74  
-21.400

-0.195  
0.628  
-0.754  
-63.734  
11.405

0.604  
0.682  
0.412  
-263.347  
-28.338

-0.773  
0.375  
0.512  
118.036  
-2.209

80

43236

6314 . 16 58.6 -32 04 887

E=0

5+43-10 1.26

9.14-48.36

9.10 1.17  
6.64 0.56


-058 118 673 2.765 5875

101 685  
202  
888

$m_1 = -0.7$   
100 5.0  
5.2

Var val

6219  
6196  
-3054  
6509  
9550  
9550





$P > 4.0$  very wide excursions  
yo.

Σ Her 153808  
22935

16 58.4 +31 00 -25.16

HR 6324 9500

-050 +0226

3.92 -0.03 -0.09 A0E

-050 +025N

83701

90 +025<sup>85</sup> N30

-051 +028

→ 8039 +02750.966 → N30

-050 +025

→ 804150.8

47165 28.84

2255

2004 0006

-964-266 515 857 -050+025 -25.1 013-13 095  
-048 013 013 -003 -213.123 -21.5 +6 +21 023

$$\frac{-3+26-9}{+19-20-6}$$

SB 4.0

16324

14 58.4 +31 00 A02

0.24

158808

ms

2435

Dm 1.5

3.52 -01 -11 5 afar

10358

2.42

-002 154 924 2.861

-007 158 939 2.855

004 156 930 2.860

155

10-85

7.11

+0.27

3/10

930

1237

Bud 51 -042

1044+029

-10409 +022 W3

1241

153

8506

924

1230

3.9

1.7

3.2

+31

-01.5

+29

3.2

-24.2

81

17.000  
31.000  
-51.500  
29.000  
3.200  
44  
-24.200  
  
-0.161  
0.858  
-0.488  
151.610  
18.438  
  
0.592  
0.480  
0.647  
-58.012  
-18.191  
  
-0.789  
0.185  
0.585  
190.595  
-5.849

81

6326

16 59.3 +15 00 AP

153882

22960

6.29 + 04 + 65 Eggs <sup>(49)</sup>

+12 1841052 2866 of ad <sup>102</sup>

$\frac{1842}{3050} \times 1.22 = 1.444$

a=27  
n=66

1.66

+1000 - 1000  
-31.7

10.70 + 605 + 045 Eggs

$\frac{055}{5.75}$

Bud 51

82

6326.000\*

16.000\*

59.300\*

15.000\*

0.000\*

0.004\*

-0.006\*

5.750\*

141.254

-31.700

-0.023

-0.705

19.153

-0.007

0.488

82

-16.450

-0.025

0.514

-19.768



1546  
6381 17 8.8 -39 27 A0

15559

23184

565 104 (+06.5) C

③

4.5-20 5.70 0.9 154 154 11018 29119624

pair

1574

a=19

1624

n=9

0011-0510200

✓

10<sup>11</sup>/28

1.363

part

003

0011-0510200

1.45  
4.2

83



6381.080\*

17.000\*

8.800\*

-39.000\*

-27.000\*

-0.013\*

-0.071\*

4.200\*

69.183

12.000

0.067

-0.976

-7.048

-0.300

-0.219

-23.362

110-1007  
S119

he  
Jh  
L  
L  
Jhe  
171

1007 + 1000

1007

1007 + 1000  
1000 - 1000

1000

100

100

1000 - 1000

100

100

100 - 100

1000 - 1000

1000

1000

1000 - 1000

1000 - 1000

1000 - 1000

1000

84

1 318  
2 081  
3 140  
4 284  
5 300  
6 128  
7 221  
8 048  
9 310  
0 284  
1 402  
2 818  
3 334  
4 842  
5 134  
6 300  
7 378  
8 438  
9 080  
0 000  
1 000  
2 000  
3 000

ND

15, 210  
60, 081  
0, 140  
0, 584  
-0, 800  
  
0, 158  
-2, 851  
-0, 043  
0, 810  
0, 584  
  
26, 405  
0, 618  
-0, 989  
0, 047  
-0, 139  
  
-24, 000  
309  
7, 450  
7, 000  
-12, 000  
-26, 500  
12, 100

84



-1005 +0210 (F)

1055-2880  
-1921 9576

6383 17 07.11 +50 54 B9 AOE

-1005 +0210

155326  
638551

2300-2615 5765-1.7  
~22195 26.5  
22310 26.6

6.46 -007 135 1058 2-848 ATD.  
133 1059  
265  
1325

5164 25.50  
491 0.15  
~~0554~~ 17.1  
10184 W3  
-10185 +0184 549

-0187 61195  
-1009 +0195

~~050~~  
635  
6.35

6355-2880  
-1921 9576  
15.2 026  
0390  
0263  
6.55  
19.5  
14  
17.1  
509

19656 1266  
-1921 9576

20



*Handwritten signature or initials.*

*Faint, illegible text, possibly bleed-through from the reverse side of the page.*

17.100  
50.900  
-14.000  
19.500  
6.550  
204  
-15.200

-0.139  
0.976  
-0.170  
95.983  
22.179

0.584  
0.219  
0.781  
-4.207  
-12.737

-0.800  
-0.009  
0.600  
32.626  
-2.465



6396 / 15521  
9.3  
71  
454  
254  
629

21755  
5647  
660  
878  
22233

444  
-010  
110  
-010  
-000  
-1000  
-1000  
-1000  
-1000

924  
588  
75  
960

21756  
124  
777  
21712

1200  
1200  
1200  
1200  
1200  
1200  
1200  
1200

444  
777  
1715  
5125  
2800  
-0223

444  
777  
1715  
5125  
2800  
-0223

924  
588  
75  
960

21643  
330  
746

1000  
1000  
1000  
1000  
1000  
1000  
1000  
1000

924  
588  
75  
960

924  
588  
75  
960

924  
588  
75  
960

86

021.51  
002.87  
002.82  
007.74  
008.2  
041  
000.88

0.155  
189.0  
0.144  
0.033  
1.748

0.280  
0.121  
0.285  
0.123  
0.283

0.288  
0.101  
0.284  
0.110  
0.283

20

17.150  
52.500  
-29.500  
-7.500  
5.800  
145  
-35.000

-0.127  
0.981  
-0.144  
-24.055  
1.548

0.580  
0.191  
0.792  
-56.162  
-35.835

-0.805  
-0.018  
0.594  
69.116  
-10.783

26



ADS 10310

Rint 78um

+0001± 3.4 -014±2.6  
+0005 -007

153882 16 59.3 +15 01 6.2 Aop -32.48

22966

6.16 +0.06: 0.00 A2p

9915

-32.04

16.523 1897.7 +15 1 15.99 1789.7

~~005~~  
518

+ .70

16.68

16.51 1934.1

~~8~~  
16.43

16.40 1940.4

+3  
16.43

16.43

-25

(B)

10.70  
+0.605  
+0.045

2.106

5(n-B)  
+0.516.522  
12  
534

16.527

+10  
537

534

+010

39.5

45  
37.2

37.5

