

102604      11 47 40 -14 14      -010 -065      642100

(F)

\*685-490 1732-443 4286

10

041859 . 2500-5100-  
51 50- 55 55 11

100659

(X)

487.4 422-1951 914-549X  
\*645-416-1561 482 482

AM NO  
AM 02  
+025-060  
090-590+

858 61- 50 04 11

095111

(X)

25805 424-1951 124-8497\*

41815 6 05 70 16 31 618 65

662 150 1100 451 18 100 56

76027

8

52

10

-16

52.5

8

52

26.4

-16

53 59 (1986.5)

(A)

-040

-065

6.62-100

\*6.44 -473 1531 -491 6456

94888

Large M 6.63 AD

8 43 05 -61 37

8 43 20.7 -61 38 20 (1986.5)

John S  
→  
Supt

(E) (H)

\*6.50 1.112 1079 -331 2.356 646

5205 6 08 10 -8 15 683 100

664 +100 1421 -433 18 Mar 85

42133 6 07 50 6- 25 665 Ar

6.7/16.5/880 +205 2.374 18 Mar 18



42116 AS

6 07 30

11 08 5

665

A2

C predicted

683-606 901

+69

2348

18 Mar 88

42058 6 06 05 -41 13 6-94 AD

7.02-1684 867 +143 2.341 15 MAR 85

4243 06 01 25 81 11 69 102

662-128 1183-480 18 Nov 85

4245-9 4 09 20 75 035 670AD

642-210 806 346 2.2718mms

42353

6 09 20

+02

54)

685-09

486-1696 813-309

2.200

18M<sup>85</sup>

672nd

4256 6 08 45 402 525

6.58 -101 1151-508 8 Mar 85

021 457

48025 6 12 30 15 225

6876 126 1158 468 18 March

42599 6 12 05 -04 56 662 100

6.64 -47 1303 -463 18 March



680009  
582  
8- 20 21 7  
18524

Sum 181022.7  
642-714 835-84 232018M<sub>14</sub>TS

42659 6 10 30 -15 45 67043

674-560 947-01 2.324 18 Mar 88

43504 6 13 15 51 84.5 68.7 Ad

975

6.80-1667-878 +184 2.39 19 Mar 85

43393

6

14 30

11 57

6-57 42-

6167-649 905 +154 2.37 19mm 85

42066

6 B 00 -7 145 6-21 B9

674 1640 858 +120 2364 18M<sup>16</sup>

6503A

43757 6 16 50 74 22.5

665 -13 1318 -465 19 June 85