

2679

4 31.8 -08 20 5.4 gms

1457

5.10 +1.70 +2.01 less

+0.515 -0.41 +0.13

+0.55 -0.41 +0.13

+0.49 -0.40 +0.20

+0.50 -0.40 <sup>+0.16</sup> 5.20 +1.37 +2.37 241664

5.14 +1.68 +1.92 26 " "

---

5.12 +1.69 +1.96

---

2680 4 368 -09 09560 60- 893 2 0892

Sub 5.560 60- 893 2 0892

Sub 5.560 60- 893 2 0892

Sub 5.560 60- 893 2 0892

Sub 5.560 60- 893 2 0892

Sub 5.560 60- 893 2 0892

Sub 5.560 60- 893 2 0892

2690A

4 33.1 +34 07 8.4

AD5  
3323

24

9.22 +0.66 +0.12 27527

9.19 +0.68 +0.14 5000

9.17 +0.65 +0.12 6"

9.22 +0.67 +0.14 2000

9.20 +0.665 +0.13

2706 4 35.1 -0.2 34 5.3 44

5.18 +0.30 -0.04 5 Oct  
5.22 +0.28 +0.02 2''

2722 4 36.0 + 52 59 5.3964

(1467)

5.09 + 6.10 + 0.89 24.063

5.09 + 6.08 + 0.50 25.00

5.06 + 6.09 + 0.50

2723

4 36.0 +53 23 S.40A5

5.48 -0.15 +0.03 25 mm 62

5.36 +0.34 +0.05 26 "

2727

4 36.3 +15- 42 5.2 DHS

5.06 +0.16 +0.08 50ct

5.08 +0.13 +0.13 2 "

2749

5701

29645

4 38.4 +38 11 5.8 d6-3

5.97 +0.59 +0.09 Dec 22



2755

4 41.4 1945

+74 326.4 F5

6.50 +0.46 -0.01 1.112665

6.46 +0.47 0.02 73.112665

2760 4 39.4 143 16 5.2 40

5.30 40.01 40.02 26 2000

2765

4

40.2 +24.00 6.2 d176

5735

29859

6.11 +0.58 +0.05 Dec 22

6.15 +0.52 +0.06 25 March 22

2790 . 4 44.1<sup>1945</sup> + 75 53 600 AG

5.95 + 0.28 + 0.01 1.0005

5.96 + 0.25 + 0.04 23.0005

2785- 4 42.7 +28 34 70 0.8711

25 March 62

7.03 +0.82 +0.84

4 20''

7.01 +1.00

+0.79

26 March 62

2800

04 43.8 +56 40 5.4 A3

5.25 +0.29 +0.07 5.627

5.26 +0.25 +0.14

2801 4 48.2 1945

155 33 6.2 EO

6-34 40.32 70.01 1.8665

2807 4 44.6 +24 04 10.2 LMD

Key

10.57 +1.19 +1.11 25 20042  
10.61 +1.18 +1.10 26"



2823

4 46.1 + 3230 5.9 Am

5.85 + 0.25 + 0.15 37 ~~20~~ 65

5.86 + 0.27 + 0.13 ~~37~~ 65

2833

4 46.5 737 24 5.1 K4 II

5868

30504

4.89 + 1.43 + 1.74 Dec 22 62

4.87 + 1.41 + 1.74 24 Dec 63

4.88 + 1.44 + 1.66 25 " "

4.88 + 1.43 + 1.72

2834

4 46.7 +15 48 7.9 d 60

Hy  
Time

2.74 +0.58 +0.11 5+12

2.78 +0.55 +0.04 25 mark

2.77 +0.59 +0.05 27 "

2844 04 47.9 -16 18 5.2969

1549

5.04 + 0.94 + 0.71 26.4463

5.03 + 1.00 + 0.80 27 "

5.03 + 1.00 + 0.80 25.44

5.03 + 0.98 + 0.77

W 2853      0.1 48.4      100 29 52 17 = 8

10.12 + 54 + 0.3 R

~~10.19 + 0.49 - 0.96      14 24 93 60°~~  
~~10.09 + 0.57 - 0.06      18 51 + 63~~

10.08 + 0.53      0.00      24 60 63 100°

10.11 + 0.52 - 0.01      19 46 63 100°