


5460/1021

14.87 -37 2.00 6/26


476



5460/102 ✓


13.11 -54 1.60 6/26

257



5460/101


13.10 -45 1.70



5460/100

14.03 -25 2.10 6/26

x90




5960/53

10.89 - 82 1.72 43

10.72 - 77 1.67 7/2

10.50⁺ - 80 1.70




5460/52

9.36-99 1.37 1/3

9.23 -95 1.31 7/2

9.24 97 1.34



5460/51


9.19 -1.05 1.25 7/2

9.20 -1.00 1.31 1/3

9.20
-1.025 1.295

+ 401 -26

9.28 +0.03 -24 ~~the box~~ 8" 2/20




5460/40

$$\begin{array}{r} 9.45 \\ \hline 9.40 \end{array} \quad \begin{array}{r} -1.04 \\ \hline -98 \end{array} \quad \begin{array}{r} 1.45 \\ \hline 1.50 \end{array} \quad \begin{array}{r} 7/2 \\ \hline 6/30 \end{array}$$
$$\begin{array}{r} 9.44 \\ \hline 9.44 \end{array} \quad \begin{array}{r} +6 \\ \hline 101 \end{array} \quad \begin{array}{r} 1.475 \\ \hline 1.475 \end{array}$$


5460/39

$$\begin{array}{r} 9.32 + 0.6 \quad 2.69 \quad 6/30 \\ 9.34 - 0.2 \quad 2.67 \quad 7/12 \\ \hline 9.34 + 0.2 \quad 2.65 \end{array}$$



5460/35'

11.09 +09 2.97 7/2




5460/38

9.63	-09	2.36	6/30
<u>9.69</u>	-94	<u>2.30</u>	7/2
9.66	-06	2.33	

5460/35

8.85 1.05 1.35 7/2

7/ 12



5460/34

11.30 +16 2.63 6/30

137

5/1601

301 18" N 5" S 30

15.04 -36 1.74 660

458

5460/30


11.98 -22 2.16 6/30

16x4

5-460/29

13.11 -50 1.61 6/30

+62



5460/25

10.45-89 1.67 6/30


+17

10/16/1909

1311 - 500 - 1661 01.20

5460/24

10.45 -1.06 1.31 7/2




(35''s of a)

5460/2'

15.27-24 1.60 6/30

461



5460/d1


9.15 -97 1.38 5727

9.14 -1.03 1.43 6126

9.25 -1.02 1.40 712


9.19 -1.02 1.40

+2 -16



5460/0


$$\begin{array}{r} 1426 \quad 30 \quad 1.70 \quad 1/3 \\ \hline 14.23 \quad -38 \quad +8 \quad -1.85 \quad \hline 14.24 \quad -34 \quad 1.77 \end{array}$$



5/17/60/n

14-27-43 1601 1/3

+69



5460/m

173


13.31 -58 1.67 6/26

(13.54) -54 1.48 ~~13~~

13.27 -53 1.55 5/27


13.30 ±56 1.59

1m H.26 -49 1.53 5/27



5460/2

13.94 -45 1.61 1/3
13.57 -49.7 1.55 6/2-6
13.90 -47 1.55




5460/R

11.50	-80	1.72	1/3
11.46	-82	1.75	5/27
11.48	+84	1.70	6/26

11.48-92 1.72

924



5460/G


9.70 -05 2.45 6/26
9.76 -02 2.43 3/1

9.12
4.14

4.19


8.50 -05 2.56 5/27

11



5460/F

9.91	-94	1.48	3/1
9.82	-97	1.45	5/27:
9.86	-100	1.54	6/26
9.88	-95	1.45	7/2
<hr/>			
9.86	-96	1.48	
<hr/>			
9.8	-95	1.48	



5960/E

13.16 -95 142 3//

-³10.16


+04

10.14 -1.08 1.44 5/20

10.08 -1.01 1.41 7/2

10.14 -1.01 1.42

20 14



5460/B

6.73 -1.07 1.52 7/2

154

-08

-24

5460/A

7.63 -01

2.47

6/30


154
9

4.15

Step 3rd trial

~~5460/d~~
5460/d

$$\begin{array}{r} 9.49 \\ 9.46 \\ \hline 9.48 \end{array} \quad \begin{array}{r} -1.02 \\ -1.03 \\ \hline -1.025 \\ +2 \\ \hline -23 \end{array} \quad \begin{array}{r} 1.33 \\ 1.35 \\ \hline 1.35 \\ -23 \end{array} \quad \begin{array}{r} 2/25 \\ 5/27 \end{array}$$




5460/1'

10.25-94 1.44 3/1
10.18-96 1.47 5/24/7

1/d 9.46-103 1.36 5/27
107


1/d 9.15-97 1.38 5/27
9.14-1.03 1.40 6/26



5460/a

Check

8.89	+0.4	1.222	3/1
8.83	-1.05	1.20	5/27
9.80	-1.034	1.24	6/20
8.84	+1.06	1.20	7/2
<hr/>			
8.84	-1.05	1.22	



5460/102''

15.35 -40 1.94 6/26

473

